



No Lesen : PC002487

Licence No :

## LESEN PENSIJILAN BARANGAN

*Product Certification Licence*



SIRIM QAS International Sdn. Bhd. dengan ini menganugerahkan kepada  
*SIRIM QAS International Sdn. Bhd. hereby grants to*

MEAN WELL ENTERPRISES CO., LTD.  
NO.28, WUQUAN 3RD ROAD  
WUGU DIST.,  
24891 NEW TAIPEI CITY, TAIWAN, REPUBLIC OF CHINA

Lesen untuk menggunakan Tanda Pensijilan di atas barangan  
*a licence to use the Certification Mark on*

**AC/DC ADAPTERS FOR INFORMATION TECHNOLOGY EQUIPMENT**

Please refer to detail in the SCHEDULE

sebagai mematuhi keperluan

*as complying with*

MS IEC 60950-1 : 2007

**CERTIFIED TRUE COPY**

**MOHD ZAMRI BIN ADAM**

Certification Executive  
E&E Certification And Inspection Section  
SIRIM QAS International Sdn. Bhd.

Mohd Azanuddin bin Salleh  
Pengarah Urusan  
*Managing Director*  
SIRIM QAS International Sdn. Bhd.

SIRIM QAS International Sdn. Bhd.  
(No. Syarikat 410334-X)  
1, Persiaran Dato' Menteri  
Seksyen 2, Peti Surat 7035  
40700 Shah Alam  
Selangor Darul Ehsan  
MALAYSIA.

Tel : 60-3-55446400  
Faks : 60-3-55446466

<http://www.sirim.my>  
<http://www.malaysian-certified.my>

Tarikh Mula Pensijilan : 26 August 2016

*Certified Since*

Sah Sehingga : 26 August 2019

*Valid Until*

Tarikh Dikeluarkan : 14 August 2018

*Issue Date*

No Siri : 040402

*Serial No*

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.  
*This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.*



**MOHD ZAMRI BIN ADAM**  
Certification Executive

MEAN WELL ENTERPRISES CO., LTD. **E&E Certification And Inspection Section**  
SIRIM QAS International Sdn. Bhd.



Trade Mark : MEAN WELL  
Model : GST18A05  
Rating : INPUT:100-240V~,0.5A,50/60 Hz. OUTPUT:5Vdc,0-3.00A,15W,Class I.  
Type : A - DESKTOP CLASS I  
Size : 93 X 54 X 36 mm

Trade Mark : MEAN WELL  
Model : GST18A07  
Rating : INPUT:100-240V~,0.5A,50/60 Hz. OUTPUT:7.5Vdc,0-2.00A,15W,Class I.  
Type : A - DESKTOP CLASS I  
Size : 93 X 54 X 36 mm

Trade Mark : MEAN WELL  
Model : GST18A09  
Rating : INPUT:100-240V~,0.5A,50/60 Hz. OUTPUT:9Vdc,0-2.00A,18W,Class I.  
Type : A - DESKTOP CLASS I  
Size : 93 X 54 X 36 mm

Trade Mark : MEAN WELL  
Model : GST18A12  
Rating : INPUT:100-240V~,0.5A,50/60 Hz. OUTPUT:12Vdc,0-1.5A,18W,Class I.  
Type : A - DESKTOP CLASS I  
Size : 93 X 54 X 36 mm

Trade Mark : MEAN WELL  
Model : GST18A15  
Rating : INPUT:100-240V~,0.5A,50/60 Hz. OUTPUT:15Vdc,0-1.2A,18W,Class I.  
Type : A - DESKTOP CLASS I  
Size : 93 X 54 X 36 mm

Trade Mark : MEAN WELL  
Model : GST18A18  
Rating : INPUT:100-240V~,0.5A,50/60 Hz. OUTPUT:18Vdc,0-1A,18W,Class I.  
Type : A - DESKTOP CLASS I  
Size : 93 X 54 X 36 mm

Trade Mark : MEAN WELL  
Model : GST18A24  
Rating : INPUT:100-240V~,0.5A,50/60 Hz. OUTPUT:24Vdc,0-0.75A,18W,Class I.  
Type : A - DESKTOP CLASS I  
Size : 93 X 54 X 36 mm



# SCHEDULE

MEAN WELL ENTERPRISES CO., LTD

**MOHD ZAMRI BIN ADAM**  
Certification Executive  
E&E Certification And Inspection Section  
SIRIM QAS International Sdn. Bhd.



Trade Mark : MEAN WELL  
Model : GST18A28  
Rating : INPUT:100-240V~,0.5A,50/60 Hz. OUTPUT:28Vdc,0-0.64A,18W,Class I.  
Type : A - DESKTOP CLASS I  
Size : 93 X 54 X 36 mm

Trade Mark : MEAN WELL  
Model : GST18A48  
Rating : INPUT:100-240V~,0.5A,50/60 Hz. OUTPUT:48Vdc,0-0.375A,18W,Class I.  
Type : A - DESKTOP CLASS I  
Size : 93 X 54 X 36 mm

Trade Mark : MEAN WELL  
Model : GST25A05  
Rating : INPUT:100-240V~,0.6A,50/60 Hz. OUTPUT:5Vdc,0-4.0 A,20W,Class I  
Type : A - DESKTOP CLASS I  
Size : 93 X 54 X 36 mm

Trade Mark : MEAN WELL  
Model : GST25A07  
Rating : INPUT:100-240V~,0.6A,50/60 Hz. OUTPUT:7.5Vdc,0-2.93A,22W,Class I  
Type : A - DESKTOP CLASS I  
Size : 93 X 54 X 36 mm

Trade Mark : MEAN WELL  
Model : GST25A09  
Rating : INPUT:100-240V~,0.6A,50/60 Hz. OUTPUT:9Vdc,0-2.55A,23W,Class I.  
Type : A - DESKTOP CLASS I  
Size : 93 X 54 X 36 mm

Trade Mark : MEAN WELL  
Model : GST25A12  
Rating : INPUT:100-240V~,0.6A,50/60 Hz. OUTPUT:12Vdc,0-2.08A,25W,Class I.  
Type : A - DESKTOP CLASS I  
Size : 93 X 54 X 36 mm

Trade Mark : MEAN WELL  
Model : GST25A15  
Rating : INPUT:100-240V~,0.6A,50/60 Hz. OUTPUT:15Vdc,0-1.66A,25W,Class I.  
Type : A - DESKTOP CLASS I  
Size : 93 X 54 X 36 mm





# SCHEDULE

MEAN WELL ENTERPRISES CO., LTD.

**MOHD ZAMRI BIN ADAM**  
Certification Executive  
E&E Certification And Inspection Section  
SIRIM QAS International Sdn. Bhd.



Trade Mark : MEAN WELL  
Model : GST25A18  
Rating : INPUT:100-240V~,0.6A,50/60 Hz. OUTPUT:18Vdc,0-1.38A,25W,Class I.  
Type : A - DESKTOP CLASS I  
Size : 93 X 54 X 36 mm

Trade Mark : MEAN WELL  
Model : GST25A24  
Rating : INPUT:100-240V~,0.6A,50/60 Hz. OUTPUT:24Vdc,0-1.04A,25W,Class I.  
Type : A - DESKTOP CLASS I  
Size : 93 X 54 X 36 mm

Trade Mark : MEAN WELL  
Model : GST25A28  
Rating : INPUT:100-240V~,0.6A,50/60 Hz. OUTPUT:28Vdc,0-0.89A,25W,Class I.  
Type : A - DESKTOP CLASS I  
Size : 93 X 54 X 36 mm

Trade Mark : MEAN WELL  
Model : GST25A48  
Rating : INPUT:100-240V~,0.6A,50/60 Hz. OUTPUT:48Vdc,0-0.52A,25W,Class I.  
Type : A - DESKTOP CLASS I  
Size : 93 X 54 X 36 mm

Trade Mark : MEAN WELL  
Model : GST18B05  
Rating : INPUT:100-240V~,0.5A,50/60 Hz. OUTPUT:5Vdc,0-3.00A,15W,Class II.  
Type : B - DESKTOP CLASS II  
Size : 79 X 54 X 33 mm

Trade Mark : MEAN WELL  
Model : GST18B07  
Rating : INPUT:100-240V~,0.5A,50/60 Hz. OUTPUT:7.5Vdc,0-2.00A,15W,Class II.  
Type : B - DESKTOP CLASS II  
Size : 79 X 54 X 33 mm

Trade Mark : MEAN WELL  
Model : GST18B09  
Rating : INPUT:100-240V~,0.5A,50/60 Hz. OUTPUT:9Vdc,0-2.00A,18W,Class II.  
Type : B - DESKTOP CLASS II  
Size : 79 X 54 X 33 mm



# SCHEDULE

MEAN WELL ENTERPRISES CO., LTD.

**MOHD ZAMRI BIN ADAM**  
Certification Executive  
E&E Certification And Inspection Section  
SIRIM QAS International Sdn. Bhd.



SIRIM

Trade Mark : MEAN WELL  
Model : GST18B12  
Rating : INPUT:100-240V~,0.5A,50/60 Hz. OUTPUT:12Vdc,0-1.50A,18W,Class II.  
Type : B - DESKTOP CLASS II  
Size : 79 X 54 X 33 mm

Trade Mark : MEAN WELL  
Model : GST18B15  
Rating : INPUT:100-240V~,0.5A,50/60 Hz. OUTPUT:15Vdc,0-1.20A,18W,Class II.  
Type : B - DESKTOP CLASS II  
Size : 79 X 54 X 33 mm

Trade Mark : MEAN WELL  
Model : GST18B18  
Rating : INPUT:100-240V~,0.5A,50/60 Hz. OUTPUT:18Vdc,0-1.00A,18W,Class II.  
Type : B - DESKTOP CLASS II  
Size : 79 X 54 X 33 mm

Trade Mark : MEAN WELL  
Model : GST18B24  
Rating : INPUT:100-240V~,0.5A,50/60 Hz. OUTPUT:24Vdc,0-0.75A,18W,Class II.  
Type : B - DESKTOP CLASS II  
Size : 79 X 54 X 33 mm

Trade Mark : MEAN WELL  
Model : GST18B28  
Rating : INPUT:100-240V~,0.5A,50/60 Hz. OUTPUT:28Vdc,0-0.64A,18W,Class II.  
Type : B - DESKTOP CLASS II  
Size : 79 X 54 X 33 mm

Trade Mark : MEAN WELL  
Model : GST18B48  
Rating : INPUT:100-240V~,0.5A,50/60 Hz. OUTPUT:48Vdc,0-0.375A,18W,Class II.  
Type : B - DESKTOP CLASS II  
Size : 79 X 54 X 33 mm

Trade Mark : MEAN WELL  
Model : GST25B05  
Rating : INPUT:100-240V~,0.6A,50/60 Hz. OUTPUT:5Vdc,0-4.00A,20W,Class II.  
Type : B - DESKTOP CLASS II  
Size : 79 X 54 X 33 mm



# SCHEDULE

**MOHD ZAMRI BIN ADAM**  
Certification Executive  
E&E Certification And Inspection Section  
SIRIM QAS International Sdn. Bhd.

MEAN WELL ENTERPRISES CO., LTD.



SIRIM

Trade Mark : MEAN WELL  
Model : GST25B07  
Rating : INPUT:100-240V~,0.6A,50/60 Hz. OUTPUT:7.5Vdc,0-2.93A,22W,Class II.  
Type : B - DESKTOP CLASS II  
Size : 79 X 54 X 33 mm

Trade Mark : MEAN WELL  
Model : GST25B09  
Rating : INPUT:100-240V~,0.6A,50/60 Hz. OUTPUT:9Vdc,0-2.55A,23W,Class II.  
Type : B - DESKTOP CLASS II  
Size : 79 X 54 X 33 mm

Trade Mark : MEAN WELL  
Model : GST25B12  
Rating : INPUT:100-240V~,0.6A,50/60 Hz. OUTPUT:12Vdc,0-2.08A,25W,Class II.  
Type : B - DESKTOP CLASS II  
Size : 79 X 54 X 33 mm

Trade Mark : MEAN WELL  
Model : GST25B15  
Rating : INPUT:100-240V~,0.6A,50/60 Hz. OUTPUT:15Vdc,0-1.66A,25W,Class II.  
Type : B - DESKTOP CLASS II  
Size : 79 X 54 X 33 mm

Trade Mark : MEAN WELL  
Model : GST25B18  
Rating : INPUT:100-240V~,0.6A,50/60 Hz. OUTPUT:18Vdc,0-1.38A,25W,Class II.  
Type : B - DESKTOP CLASS II  
Size : 79 X 54 X 33 mm

Trade Mark : MEAN WELL  
Model : GST25B24  
Rating : INPUT:100-240V~,0.6A,50/60 Hz. OUTPUT:24Vdc,0-1.04A,25W,Class II.  
Type : B - DESKTOP CLASS II  
Size : 79 X 54 X 33 mm

Trade Mark : MEAN WELL  
Model : GST25B28  
Rating : INPUT:100-240V~,0.6A,50/60 Hz. OUTPUT:28Vdc,0-0.89A,25W,Class II.  
Type : B - DESKTOP CLASS II  
Size : 79 X 54 X 33 mm





# SCHEDULE

MEAN WELL ENTERPRISES CO., LTD.



Trade Mark : MEAN WELL  
Model : GST25B48  
Rating : INPUT:100-240V~,0.6A,50/60 Hz. OUTPUT:48Vdc,0-0.52A,25W,Class II.  
Type : B - DESKTOP CLASS II  
Size : 79 X 54 X 33 mm

Trade Mark : MEAN WELL  
Model : GST36B05  
Rating : INPUT:100-240V~,0.8A,50/60 Hz. OUTPUT:5Vdc,0-4.30A,21.5W,Class II.  
Type : B - DESKTOP CLASS II  
Size : 79 X 54 X 33 mm

Trade Mark : MEAN WELL  
Model : GST36B09  
Rating : INPUT:100-240V~,0.8A,50/60 Hz. OUTPUT:9Vdc,0-3.11A,28W,Class II.  
Type : B - DESKTOP CLASS II  
Size : 79 X 54 X 33 mm

Trade Mark : MEAN WELL  
Model : GST36B12  
Rating : INPUT:100-240V~,0.8A,50/60 Hz. OUTPUT:12Vdc,0-3.00A,36W,Class II.  
Type : B - DESKTOP CLASS II  
Size : 79 X 54 X 33 mm

Trade Mark : MEAN WELL  
Model : GST36B24  
Rating : INPUT:100-240V~,0.8A,50/60 Hz. OUTPUT:24Vdc,0-1.50A,36W,Class II.  
Type : B - DESKTOP CLASS II  
Size : 79 X 54 X 33 mm

Trade Mark : MEAN WELL  
Model : GST36B48  
Rating : INPUT:100-240V~,0.8A,50/60 Hz. OUTPUT:48Vdc,0-0.75A,36W,Class II.  
Type : B - DESKTOP CLASS II  
Size : 79 X 54 X 33 mm

Trade Mark : MEAN WELL  
Model : GST18E05  
Rating : INPUT:100-240V~,0.5A,50/60 Hz. OUTPUT:5Vdc,0-3.00A,15W,Class II.  
Type : E - WALL MOUNTED EUROPEAN 2P  
Size : 79 X 54 X 33 mm



No Lesen : PC002487

Licence No :

CERTIFIED TRUE COPY

# SCHEDULE

MOHD ZAMRI BIN ADAM

Certification Executive

E&E Certification And Inspection Section

SIRIM QAS International Sdn. Bhd.

MEAN WELL ENTERPRISES CO., LTD.



Trade Mark : MEAN WELL  
Model : GST18E07  
Rating : INPUT:100-240V~,0.5A,50/60 Hz. OUTPUT:7.5Vdc,0-2.00A,15W,Class II.  
Type : E - WALL MOUNTED EUROPEAN 2P  
Size : 79 X 54 X 33 mm

Trade Mark : MEAN WELL  
Model : GST18E09  
Rating : INPUT:100-240V~,0.5A,50/60 Hz. OUTPUT:9Vdc,0-2.00A,18W,Class II.  
Type : E - WALL MOUNTED EUROPEAN 2P  
Size : 79 X 54 X 33 mm

Trade Mark : MEAN WELL  
Model : GST18E12  
Rating : INPUT:100-240V~,0.5A,50/60 Hz. OUTPUT:12Vdc,0-1.50A,18W,Class II.  
Type : E - WALL MOUNTED EUROPEAN 2P  
Size : 79 X 54 X 33 mm

Trade Mark : MEAN WELL  
Model : GST18E15  
Rating : INPUT:100-240V~,0.5A,50/60 Hz. OUTPUT:15Vdc,0-1.20A,18W,Class II.  
Type : E - WALL MOUNTED EUROPEAN 2P  
Size : 79 X 54 X 33 mm

Trade Mark : MEAN WELL  
Model : GST18E18  
Rating : INPUT:100-240V~,0.5A,50/60 Hz. OUTPUT:18Vdc,0-1.00A,18W,Class II.  
Type : E - WALL MOUNTED EUROPEAN 2P  
Size : 79 X 54 X 33 mm

Trade Mark : MEAN WELL  
Model : GST18E24  
Rating : INPUT:100-240V~,0.5A,50/60 Hz. OUTPUT:24Vdc,0-0.75A,18W,Class II.  
Type : E - WALL MOUNTED EUROPEAN 2P  
Size : 79 X 54 X 33 mm

Trade Mark : MEAN WELL  
Model : GST18E28  
Rating : INPUT:100-240V~,0.5A,50/60 Hz. OUTPUT:28Vdc,0-0.64A,18W,Class II.  
Type : E - WALL MOUNTED EUROPEAN 2P  
Size : 79 X 54 X 33 mm

SIRIM QAS International Sdn. Bhd.  
(No. Syarikat 410334-X)  
1, Persiaran Dato' Menteri  
Seksyen 2, Petai Surat 7035  
40700 Shah Alam  
Selangor Darul Ehsan  
MALAYSIA.

Tarikh Mula Pensijilan : 26 August 2016

Tarikh Dikeluarkan : 14 August 2018

Certified Since

Issue Date

Sah Sehingga : 26 August 2019

No Siri : 040402

Valid Until

Serial No

Tel : 60-3-55446400  
Faks : 60-3-55446466

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.

This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

<http://www.sirim.my>  
<http://www.malaysian-certified.my>





# SCHEDULE

**MOHD ZAMRI BIN ADAM**

Certification Executive

E&E Certification And Inspection Section  
SIRIM QAS International Sdn. Bhd.

MEAN WELL ENTERPRISES CO., LTD.



SIRIM

Trade Mark : MEAN WELL  
Model : GST18E48  
Rating : INPUT:100-240V~,0.5A,50/60 Hz. OUTPUT:48Vdc,0-0.375A,18W,Class II.  
Type : E - WALL MOUNTED EUROPEAN 2P  
Size : 79 X 54 X 33 mm

Trade Mark : MEAN WELL  
Model : GST25E05  
Rating : INPUT:100-240V~,0.6A,50/60 Hz. OUTPUT:5Vdc,0-4.00A,20W,Class II.  
Type : E - WALL MOUNTED EUROPEAN 2P  
Size : 79 X 54 X 33 mm

Trade Mark : MEAN WELL  
Model : GST25E07  
Rating : INPUT:100-240V~,0.6A,50/60 Hz. OUTPUT:7.5Vdc,0-2.93A,22W,Class II.  
Type : E - WALL MOUNTED EUROPEAN 2P  
Size : 79 X 54 X 33 mm

Trade Mark : MEAN WELL  
Model : GST25E09  
Rating : INPUT:100-240V~,0.6A,50/60 Hz. OUTPUT:9Vdc,0-2.55A,23W,Class II.  
Type : E - WALL MOUNTED EUROPEAN 2P  
Size : 79 X 54 X 33 mm

Trade Mark : MEAN WELL  
Model : GST25E12  
Rating : INPUT:100-240V~,0.6A,50/60 Hz. OUTPUT:12Vdc,0-2.08A,25W,Class II.  
Type : E - WALL MOUNTED EUROPEAN 2P  
Size : 79 X 54 X 33 mm

Trade Mark : MEAN WELL  
Model : GST25E15  
Rating : INPUT:100-240V~,0.6A,50/60 Hz. OUTPUT:15Vdc,0-1.66A,25W,Class II.  
Type : E - WALL MOUNTED EUROPEAN 2P  
Size : 79 X 54 X 33 mm

Trade Mark : MEAN WELL  
Model : GST25E18  
Rating : INPUT:100-240V~,0.6A,50/60 Hz. OUTPUT:18Vdc,0-1.38A,25W,Class II.  
Type : E - WALL MOUNTED EUROPEAN 2P  
Size : 79 X 54 X 33 mm



# SCHEDULE

MEAN WELL ENTERPRISES CO., LTD.



SIRIM

Trade Mark : MEAN WELL  
Model : GST25E24  
Rating : INPUT:100-240V~,0.6A,50/60 Hz. OUTPUT:24Vdc,0-1.04A,25W,Class II.  
Type : E - WALL MOUNTED EUROPEAN 2P  
Size : 79 X 54 X 33 mm

Trade Mark : MEAN WELL  
Model : GST25E28  
Rating : INPUT:100-240V~,0.6A,50/60 Hz. OUTPUT:28Vdc,0-0.89A,25W,Class II.  
Type : E - WALL MOUNTED EUROPEAN 2P  
Size : 79 X 54 X 33 mm

Trade Mark : MEAN WELL  
Model : GST25E48  
Rating : INPUT:100-240V~,0.6A,50/60 Hz. OUTPUT:48Vdc,0-0.52A,25W,Class II.  
Type : E - WALL MOUNTED EUROPEAN 2P  
Size : 79 X 54 X 33 mm

Trade Mark : MEAN WELL  
Model : GST36E05  
Rating : INPUT:100-240V~,0.8A,50/60 Hz. OUTPUT:5Vdc,0-4.30A,21.5W,Class II.  
Type : E - WALL MOUNTED EUROPEAN 2P  
Size : 79 X 54 X 33 mm

Trade Mark : MEAN WELL  
Model : GST36E09  
Rating : INPUT:100-240V~,0.8A,50/60 Hz. OUTPUT:9Vdc,0-3.11A,28W,Class II.  
Type : E - WALL MOUNTED EUROPEAN 2P  
Size : 79 X 54 X 33 mm

Trade Mark : MEAN WELL  
Model : GST36E12  
Rating : INPUT:100-240V~,0.8A,50/60 Hz. OUTPUT:12Vdc,0-3.00A,36W,Class II.  
Type : E - WALL MOUNTED EUROPEAN 2P  
Size : 79 X 54 X 33 mm

Trade Mark : MEAN WELL  
Model : GST36E24  
Rating : INPUT:100-240V~,0.8A,50/60 Hz. OUTPUT:24Vdc,0-1.50A,36W,Class II.  
Type : E - WALL MOUNTED EUROPEAN 2P  
Size : 79 X 54 X 33 mm



# SCHEDULE

MEAN WELL ENTERPRISES CO., LTD.

**MOHD ZAMRI BIN ADAM**  
Certification Executive  
E&E Certification And Inspection Section  
SIRIM QAS International Sdn. Bhd.



Trade Mark : MEAN WELL  
Model : GST36E48  
Rating : INPUT:100-240V~,0.8A,50/60 Hz. OUTPUT:48Vdc,0-0.75A,36W,Class II.  
Type : E - WALL MOUNTED EUROPEAN 2P  
Size : 79 X 54 X 33 mm

Trade Mark : MEAN WELL  
Model : GST40A05  
Rating : INPUT:100-240V~,1.0A,50/60 Hz. OUTPUT:5Vdc,0-5.00A,25W,Class I.  
Type : A - DESKTOP CLASS I  
Size : 125 X 50 X 31.5 mm

Trade Mark : MEAN WELL  
Model : GST40A07  
Rating : INPUT:100-240V~,1.0A,50/60 Hz. OUTPUT:7.5Vdc,0-5.34A,40W,Class I.  
Type : A - DESKTOP CLASS I  
Size : 125 X 50 X 31.5 mm

Trade Mark : MEAN WELL  
Model : GST40A09  
Rating : INPUT:100-240V~,1.0A,50/60 Hz. OUTPUT:9Vdc,0-4.45A,40W,Class I.  
Type : A - DESKTOP CLASS I  
Size : 125 X 50 X 31.5 mm

Trade Mark : MEAN WELL  
Model : GST40A12  
Rating : INPUT:100-240V~,1.0A,50/60 Hz. OUTPUT:12Vdc,0-3.34A,40W,Class I.  
Type : A - DESKTOP CLASS I  
Size : 125 X 50 X 31.5 mm

Trade Mark : MEAN WELL  
Model : GST40A15  
Rating : INPUT:100-240V~,1.0A,50/60 Hz. OUTPUT:15Vdc,0-2.67A,40W,Class I.  
Type : A - DESKTOP CLASS I  
Size : 125 X 50 X 31.5 mm

Trade Mark : MEAN WELL  
Model : GST40A18  
Rating : INPUT:100-240V~,1.0A,50/60 Hz. OUTPUT:18Vdc,0-2.22A,40W,Class I.  
Type : A - DESKTOP CLASS I  
Size : 125 X 50 X 31.5 mm





**MOHD ZAMRI BIN ADAM**

Certification Executive

E&E Certification And Inspection Section  
SIRIM QAS International Sdn. Bhd.

# SCHEDULE

MEAN WELL ENTERPRISES CO., LTD.



Trade Mark : MEAN WELL  
Model : GST40A24  
Rating : INPUT:100-240V~,1.0A,50/60 Hz. OUTPUT:24Vdc,0-1.67A,40W,Class I.  
Type : A - DESKTOP CLASS I  
Size : 125 X 50 X 31.5 mm

Trade Mark : MEAN WELL  
Model : GST40A48  
Rating : INPUT:100-240V~,1.0A,50/60 Hz. OUTPUT:48Vdc,0-0.84A,40W,Class I.  
Type : A - DESKTOP CLASS I  
Size : 125 X 50 X 31.5 mm

Trade Mark : MEAN WELL  
Model : GST60A05  
Rating : INPUT:100-240V~,1.4A,50/60 Hz. OUTPUT:5Vdc,0-6.00A,30W,Class I.  
Type : A - DESKTOP CLASS I  
Size : 125 X 50 X 31.5 mm

Trade Mark : MEAN WELL  
Model : GST60A07  
Rating : INPUT:100-240V~,1.4A,50/60 Hz. OUTPUT:7.5Vdc,0-6.00A,45W,Class I.  
Type : A - DESKTOP CLASS I  
Size : 125 X 50 X 31.5 mm

Trade Mark : MEAN WELL  
Model : GST60A09  
Rating : INPUT:100-240V~,1.4A,50/60 Hz. OUTPUT:9Vdc,0-6.00A,54W,Class I.  
Type : A - DESKTOP CLASS I  
Size : 125 X 50 X 31.5 mm

Trade Mark : MEAN WELL  
Model : GST60A12  
Rating : INPUT:100-240V~,1.4A,50/60 Hz. OUTPUT:12Vdc,0-5.00A,60W,Class I.  
Type : A - DESKTOP CLASS I  
Size : 125 X 50 X 31.5 mm

Trade Mark : MEAN WELL  
Model : GST60A15  
Rating : INPUT:100-240V~,1.4A,50/60 Hz. OUTPUT:15Vdc,0-4.00A,60W,Class I.  
Type : A - DESKTOP CLASS I  
Size : 125 X 50 X 31.5 mm



.....

**MOHD ZAMRI BIN ADAM**

Certification Executive

E&E Certification And Inspection Section  
SIRIM QAS International Sdn. Bhd.

# SCHEDULE

MEAN WELL ENTERPRISES CO., LTD.



SIRIM

Trade Mark : MEAN WELL  
Model : GST60A18  
Rating : INPUT:100-240V~,1.4A,50/60 Hz. OUTPUT:18Vdc,0-3.33A,60W,Class I.  
Type : A - DESKTOP CLASS I  
Size : 125 X 50 X 31.5 mm

Trade Mark : MEAN WELL  
Model : GST60A24  
Rating : INPUT:100-240V~,1.4A,50/60 Hz. OUTPUT:24Vdc,0-2.50A,60W,Class I.  
Type : A - DESKTOP CLASS I  
Size : 125 X 50 X 31.5 mm

Trade Mark : MEAN WELL  
Model : GST60A48  
Rating : INPUT:100-240V~,1.4A,50/60 Hz. OUTPUT:48Vdc,0-1.25A,60W,Class I.  
Type : A - DESKTOP CLASS I  
Size : 125 X 50 X 31.5 mm

Trade Mark : MEAN WELL  
Model : GST90A12  
Rating : INPUT:100-240V~,1.3A,50/60 Hz. OUTPUT:12Vdc,0-6.67A,80W,Class I.  
Type : A - DESKTOP CLASS I  
Size : 145 X 60 X 32 mm

Trade Mark : MEAN WELL  
Model : GST90A15  
Rating : INPUT:100-240V~,1.3A,50/60 Hz. OUTPUT:15Vdc,0-6.00A,90W,Class I.  
Type : A - DESKTOP CLASS I  
Size : 145 X 60 X 32 mm

Trade Mark : MEAN WELL  
Model : GST90A19  
Rating : INPUT:100-240V~,1.3A,50/60 Hz. OUTPUT:19Vdc,0-4.74A,90W,Class I.  
Type : A - DESKTOP CLASS I  
Size : 145 X 60 X 32 mm

Trade Mark : MEAN WELL  
Model : GST90A24  
Rating : INPUT:100-240V~,1.3A,50/60 Hz. OUTPUT:24Vdc,0-3.75A,90W,Class I.  
Type : A - DESKTOP CLASS I  
Size : 145 X 60 X 32 mm



# SCHEDULE

MEAN WELL ENTERPRISES CO., LTD.

**MOHD ZAMRI BIN ADAM**  
Certification Executive  
E&E Certification And Inspection Section  
SIRIM QAS International Sdn. Bhd



Trade Mark : MEAN WELL  
Model : GST90A48  
Rating : INPUT:100-240V~, 1.3A,50/60 Hz. OUTPUT:48Vdc,0-1.87A,90W,Class I.  
Type : A - DESKTOP CLASS I  
Size : 145 X 60 X 32 mm

Trade Mark : MEAN WELL  
Model : GST120A12  
Rating : INPUT:100-240V~, 1.4A,50/60 Hz. OUTPUT:12Vdc,0-8.5A,102W,Class I.  
Type : A - DESKTOP CLASS I  
Size : 167 X 67 X 35 mm

Trade Mark : MEAN WELL  
Model : GST120A15  
Rating : INPUT:100-240V~, 1.4A,50/60 Hz. OUTPUT:15Vdc,0-7.00A,105W,Class I.  
Type : A - DESKTOP CLASS I  
Size : 167 X 67 X 35 mm

Trade Mark : MEAN WELL  
Model : GST120A20  
Rating : INPUT:100-240V~, 1.4A,50/60 Hz. OUTPUT:20Vdc,0-6.00A,120W,Class I.  
Type : A - DESKTOP CLASS I  
Size : 167 X 67 X 35 mm

Trade Mark : MEAN WELL  
Model : GST120A24  
Rating : INPUT:100-240V~, 1.4A,50/60 Hz. OUTPUT:24Vdc,0-5.00A,120W,Class I.  
Type : A - DESKTOP CLASS I  
Size : 167 X 67 X 35 mm

Trade Mark : MEAN WELL  
Model : GST120A48  
Rating : INPUT:100-240V~, 1.4A,50/60 Hz. OUTPUT:48Vdc,0-2.50A,120W,Class I.  
Type : A - DESKTOP CLASS I  
Size : 167 X 67 X 35 mm

Trade Mark : MEAN WELL  
Model : GST160A12  
Rating : INPUT:100-240V~, 2.0A,50/60 Hz. OUTPUT:12Vdc,0-11.5A,138W,Class I.  
Type : A - DESKTOP CLASS I  
Size : 175 X 72 X 35 mm





# SCHEDULE

MEAN WELL ENTERPRISES CO., LTD.

**MOHD ZAMRI BIN ADAM**  
Certification Executive  
E&E Certification And Inspection Section  
SIRIM QAS International Sdn. Bhd.



Trade Mark : MEAN WELL  
Model : GST160A15  
Rating : INPUT:100-240V~,2.0A,50/60 Hz. OUTPUT:15Vdc,0-9.60A,144W,Class I.  
Type : A - DESKTOP CLASS I  
Size : 175 X 72 X 35 mm

Trade Mark : MEAN WELL  
Model : GST160A20  
Rating : INPUT:100-240V~,2.0A,50/60 Hz. OUTPUT:20Vdc,0-8.0A,160W,Class I.  
Type : A - DESKTOP CLASS I  
Size : 175 X 72 X 35 mm

Trade Mark : MEAN WELL  
Model : GST160A24  
Rating : INPUT:100-240V~,2.0A,50/60 Hz. OUTPUT:24Vdc,0-6.67A,160W,Class I.  
Type : A - DESKTOP CLASS I  
Size : 175 X 72 X 35 mm

Trade Mark : MEAN WELL  
Model : GST160A36  
Rating : INPUT:100-240V~,2.0A,50/60 Hz. OUTPUT:36Vdc,0-4.44A,160W,Class I.  
Type : A - DESKTOP CLASS I  
Size : 175 X 72 X 35 mm

Trade Mark : MEAN WELL  
Model : GST160A48  
Rating : INPUT:100-240V~,2.0A,50/60 Hz. OUTPUT:48Vdc,0-3.34A,160W,Class I.  
Type : A - DESKTOP CLASS I  
Size : 175 X 72 X 35 mm

Trade Mark : MEAN WELL  
Model : GST220A12  
Rating : INPUT:100-240V~,4.0A,50/60 Hz. OUTPUT:12Vdc,0-15.0A,180W,Class I.  
Type : A - DESKTOP CLASS I  
Size : 210 X 85 X 46 mm

Trade Mark : MEAN WELL  
Model : GST220A15  
Rating : INPUT:100-240V~,4.0A,50/60 Hz. OUTPUT:15Vdc,0-13.4A,201W,Class I  
Type : A - DESKTOP CLASS I  
Size : 210 X 85 X 46 mm



# SCHEDULE

MEAN WELL ENTERPRISES CO., LTD.

**MOHD ZAMRI BIN ADAM**  
Certification Executive  
E&E Certification And Inspection Section  
SIRIM QAS International Sdn. Bhd.



Trade Mark : MEAN WELL  
Model : GST220A20  
Rating : INPUT:100-240V~,4.0A,50/60 Hz. OUTPUT:20Vdc,0-11.0A,220W,Class I.  
Type : A - DESKTOP CLASS I  
Size : 210 X 85 X 46 mm

Trade Mark : MEAN WELL  
Model : GST220A24  
Rating : INPUT:100-240V~,4.0A,50/60 Hz. OUTPUT:24Vdc,0-9.20A,221W,Class I.  
Type : A - DESKTOP CLASS I  
Size : 210 X 85 X 46 mm

Trade Mark : MEAN WELL  
Model : GST220A48  
Rating : INPUT:100-240V~,4.0A,50/60 Hz. OUTPUT:48Vdc,0-4.60A,221W,Class I.  
Type : A - DESKTOP CLASS I  
Size : 210 X 85 X 46 mm

Trade Mark : MEAN WELL  
Model : GST280A12  
Rating : INPUT:100-240V~,4.5A,50/60 Hz. OUTPUT:12Vdc,0-21.0A,252W,Class I.  
Type : A - DESKTOP CLASS I  
Size : 220 X 95 X 46 mm

Trade Mark : MEAN WELL  
Model : GST280A15  
Rating : INPUT:100-240V~,4.5A,50/60 Hz. OUTPUT:15Vdc,0-17.0A,255W,Class I.  
Type : A - DESKTOP CLASS I  
Size : 220 X 95 X 46 mm

Trade Mark : MEAN WELL  
Model : GST280A20  
Rating : INPUT:100-240V~,4.5A,50/60 Hz. OUTPUT:20Vdc,0-13.0A,260W,Class I.  
Type : A - DESKTOP CLASS I  
Size : 220 X 95 X 46 mm

Trade Mark : MEAN WELL  
Model : GST280A24  
Rating : INPUT:100-240V~,4.5A,50/60 Hz. OUTPUT:24Vdc,0-11.67A,280.08W,Class I.  
Type : A - DESKTOP CLASS I  
Size : 220 X 95 X 46 mm

## SCHEDULE

MEAN WELL ENTERPRISES CO., LTD.



Trade Mark : MEAN WELL  
Model : GST280A48  
Rating : INPUT:100-240V~,4.5A,50/60 Hz. OUTPUT:48Vdc,0-5.84A,280.32W,Class I.  
Type : A - DESKTOP CLASS I  
Size : 220 X 95 X 46 mm

Factory Name and Location :  
SUZHOU MEAN WELL TECHNOLOGY CO., LTD.  
NO.77, JIAN-MING ROAD DONG QIAO  
PAN-YANG IND. PARK, HUANG-DAI TOWN  
XIANG-CHENG DISTRICT  
215152 SUZHOU  
JIANGSU, CHINA

---

End of page

**CERTIFIED TRUE COPY**



**MOHD ZAMRI BIN ADAM**  
Certification Executive  
E&E Certification And Inspection Section  
SIRIM QAS International Sdn. Bhd.