



# 中国国家强制性产品认证证书

证书编号: 2014011002726975

### 委托人名称、地址

明纬(广州)电子有限公司  
广州市天河区东圃镇黄村粤安工业园A栋2楼

### 生产者(制造商)名称、地址

明纬(广州)电子有限公司  
广州市天河区东圃镇黄村粤安工业园A栋2楼

### 生产企业名称、地址

明纬(广州)电子有限公司花都分公司  
广州市花都区花东镇金谷南路11号

### 产品名称和系列、规格、型号

LED模块用交流电子控制装置(独立式,恒压/恒流模式,安全特低电压, ta: 60℃, tc: 80℃, IP67, I类, F标记, 定温热保护: 110℃)

见附件: 100-240VAC, 50/60Hz.

### 产品标准和技术要求

GB19510.14-2009, GB19510.1-2009, GB17743-2007, GB17625.1-2012

上述产品符合强制性产品认证实施规则  
CNCA-C10-01: 2014的要求, 特发此证。

发证日期: 2017年01月10日      有效期至: 2019年10月13日

证书有效期内本证书的有效性依据发证机构的定期监督获得保持。

本证书为变更证书, 证书首次颁发日期: 2014年10月13日

本证书的相关信息可通过国家认监委网站www.cnca.gov.cn查询



主任:

## 中国质量认证中心

中国·北京·南四环西路188号9区100070

<http://www.cqc.com.cn>



Q 1588092





# CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

No. : 2014011002726975

## NAME AND ADDRESS OF THE APPLICANT

MEAN WELL (Guangzhou) Electronics Co., Ltd.  
2/F, A Building, Yuean Ind. Park, Huangcun, Dongpu Town, Tianhe District,  
Guangzhou, China

## NAME AND ADDRESS OF THE MANUFACTURER

MEAN WELL (Guangzhou) Electronics Co., Ltd.  
2/F, A Building, Yuean Ind. Park, Huangcun, Dongpu Town, Tianhe District,  
Guangzhou, China

## NAME AND ADDRESS OF THE FACTORY

MEAN WELL (GUANGZHOU) ELECTRONICS CO., LTD HUADU BRANCH  
No.11 Jingu South Road, Huadong Town, Huadu District, Guangzhou, China

## NAME, MODEL AND SPECIFICATION

A.C. Supplied Electronic Controlgears For LED Modules (Independent,  
Constant Voltage / Constant Current Mode, SELV, ta:60°C, tc:80°C,  
IP67, Class I, F Mark, Temperature Declared Thermally Protected:  
110°C)  
See Appendix; 100-240VAC, 50/60Hz.

## THE STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

GB19510.14-2009, GB19510.1-2009, GB17743-2007, GB17625.1-2012

This is to certify that the above mentioned products have met the  
requirements of implementation rules for compulsory certification(REF  
NO. CNCA-C10-01:2014).

Date of issue: Jan. 10, 2017      Date of expiry: Oct. 13, 2019

Validity of this certificate is subject to positive result of the regular  
follow up inspection by issuing certification body until the expiry date.

Date of original certification: Oct. 13, 2014

This certificate can be verified through CNCA's website: [www.cnca.gov.cn](http://www.cnca.gov.cn)



President:

Wang Kejiao



**CHINA QUALITY CERTIFICATION CENTRE**

Section 9, No.188, Nansihuan Xilu, Beijing 100070 P.R.China

<http://www.cqc.com.cn>

Q 1588092





# 中国国家强制性产品认证证书

附录:

第 1 页 共 1 页

证书编号: 2014011002726975

纸号: 1588092

型号	恒压模式		恒流模式	
	输出电压(V)	输出电流(A)	最大输出电压(V)	输出电流(A)
HLG-120H-12	12Vdc	10A	12Vdc	10A
HLG-120H-15	15Vdc	8.0A	15Vdc	8.0A
HLG-120H-20	20Vdc	6.0A	20Vdc	6.0A
HLG-120H-24	24Vdc	5.0A	24Vdc	5.0A
HLG-120H-30	30Vdc	4.0A	30Vdc	4.0A
HLG-120H-36	36Vdc	3.4A	36Vdc	3.4A
HLG-120H-42	42Vdc	2.9A	42Vdc	2.9A
HLG-120H-48	48Vdc	2.5A	48Vdc	2.5A
HLG-120H-54	54Vdc	2.3A	54Vdc	2.3A
HLG-100H-20	20Vdc	4.8A	20Vdc	4.8A
HLG-100H-24	24Vdc	4.0A	24Vdc	4.0A
HLG-100H-30	30Vdc	3.2A	30Vdc	3.2A
HLG-100H-36	36Vdc	2.65A	36Vdc	2.65A
HLG-100H-42	42Vdc	2.28A	42Vdc	2.28A
HLG-100H-48	48Vdc	2.0A	48Vdc	2.0A
HLG-100H-54	54Vdc	1.77A	54Vdc	1.77A

输入: 100-240VAC 50/60Hz

注: 此附录与证书同时使用时有效。



主任:

中国质量认证中心

中国·北京·南四环西路 188 号 9 区 100070

<http://www.cqc.com.cn>







# 中国国家强制性产品认证证书

证书编号: 2014011002726977

### 委托人名称、地址

明纬(广州)电子有限公司  
广州市天河区东圃镇黄村粤安工业园A栋2楼

### 生产者(制造商)名称、地址

明纬(广州)电子有限公司  
广州市天河区东圃镇黄村粤安工业园A栋2楼

### 生产企业名称、地址

明纬(广州)电子有限公司花都分公司  
广州市花都区花东镇金谷南路11号

### 产品名称和系列、规格、型号

LED模块用交流电子控制装置(独立式,恒压/恒流模式,安全特低电压,  $t_a: 60^{\circ}\text{C}$ ,  $t_c: 80^{\circ}\text{C}$ , IP65, I类, F标记, 定温热保护:  $110^{\circ}\text{C}$ )

见附件, 100-240VAC 50/60Hz

### 产品标准和技术要求

GB19510.14-2009, GB19510.1-2009, GB17743-2007, GB17625.1-2012

上述产品符合强制性产品认证实施规则  
CNCA-C10-01:2014的要求, 特发此证。

发证日期: 2017年01月10日      有效期至: 2019年10月13日

证书有效期内本证书的有效性依据发证机构的定期监督获得保持。

本证书为变更证书, 证书首次颁发日期: 2014年10月13日

本证书的相关信息可通过国家认监委网站www.cnca.gov.cn查询



主任:

## 中国质量认证中心

中国·北京·南四环西路188号9区100070

<http://www.cqc.com.cn>



Q 1588091





# CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

No. : 2014011002726977

## NAME AND ADDRESS OF THE APPLICANT

MEAN WELL (Guangzhou) Electronics Co., Ltd.  
2/F, A Building, Yuean Ind. Park, Huangcun, Dongpu Town, Tianhe District,  
Guangzhou, China

## NAME AND ADDRESS OF THE MANUFACTURER

MEAN WELL (Guangzhou) Electronics Co., Ltd.  
2/F, A Building, Yuean Ind. Park, Huangcun, Dongpu Town, Tianhe District,  
Guangzhou, China

## NAME AND ADDRESS OF THE FACTORY

MEAN WELL (GUANGZHOU) ELECTRONICS CO., LTD HUADU BRANCH  
No. 11 Jingu South Road, Huadong Town, Huadu District, Guangzhou, China

## NAME, MODEL AND SPECIFICATION

A.C. Supplied Electronic Controlgears For LED Modules (Independent,  
Constant Voltage / Constant Current Mode, SELV, ta:60°C, tc:80°C,  
IP65, Class I, F Mark, Temperature Declared Thermally Protected:  
110°C)

See Appendix. 100-240VAC, 50/60Hz

## THE STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

GB19510.14-2009, GB19510.1-2009, GB17743-2007, GB17625.1-2012

This is to certify that the above mentioned products have met the  
requirements of implementation rules for compulsory certification(REF  
NO. CNCA-C10-01:2014).

Date of issue: Jan.10, 2017      Date of expiry: Oct. 13, 2019

Validity of this certificate is subject to positive result of the regular  
follow up inspection by issuing certification body until the expiry date.

Date of original certification: Oct.13, 2014

This certificate can be verified through CNCA's website: [www.cnca.gov.cn](http://www.cnca.gov.cn)



President:

Wang Kejtiao



**CHINA QUALITY CERTIFICATION CENTRE**

Section 9, No.188, Nansihuan Xilu, Beijing 100070 P.R.China

<http://www.cqc.com.cn>

Q 1588091





# 中国国家强制性产品认证证书

附录:

第 1 页 共 1 页

证书编号: 2014011002726977

纸号: 1588091

型号	恒压模式		恒流模式	
	输出电压(V)	输出电流(A)	最大输出电压(V)	输出电流(A)
HLG-120H-12A	12Vdc	10A	12Vdc	10A
HLG-120H-15A	15Vdc	8.0A	15Vdc	8.0A
HLG-120H-20A	20Vdc	6.0A	20Vdc	6.0A
HLG-120H-24A	24Vdc	5.0A	24Vdc	5.0A
HLG-120H-30A	30Vdc	4.0A	30Vdc	4.0A
HLG-120H-36A	36Vdc	3.4A	36Vdc	3.4A
HLG-120H-42A	42Vdc	2.9A	42Vdc	2.9A
HLG-120H-48A	48Vdc	2.5A	48Vdc	2.5A
HLG-120H-54A	54Vdc	2.3A	54Vdc	2.3A
HLG-100H-20A	20Vdc	4.8A	20Vdc	4.8A
HLG-100H-24A	24Vdc	4.0A	24Vdc	4.0A
HLG-100H-30A	30Vdc	3.2A	30Vdc	3.2A
HLG-100H-36A	36Vdc	2.65A	36Vdc	2.65A
HLG-100H-42A	42Vdc	2.28A	42Vdc	2.28A
HLG-100H-48A	48Vdc	2.0A	48Vdc	2.0A
HLG-100H-54A	54Vdc	1.77A	54Vdc	1.77A

输入: 100-240VAC 50/60Hz

注: 此附录与证书同时使用时有效。



主任:

中国质量认证中心

中国·北京·南四环西路188号9区100070

<http://www.cqc.com.cn>







# 中国国家强制性产品认证证书

证书编号: 2014011002727035

## 委托人名称、地址

明纬(广州)电子有限公司  
广州市天河区东圃镇黄村粤安工业园A栋2楼

## 生产者(制造商)名称、地址

明纬(广州)电子有限公司  
广州市天河区东圃镇黄村粤安工业园A栋2楼

## 生产企业名称、地址

明纬(广州)电子有限公司花都分公司  
广州市花都区花东镇金谷南路11号

## 产品名称和系列、规格、型号

LED模块用交流电子控制装置(LED控制装置,独立式,可调光,恒流输出,安全特低电压,ta:60℃,tc:80℃,I类,IP67,F标记,定温热保护:110℃)  
见附件。输入:100-240V~50/60Hz

## 产品标准和技术要求

GB19510.14-2009, GB19510.1-2009, GB17743-2007, GB17625.1-2012

上述产品符合强制性产品认证实施规则  
CNCA-C10-01:2014的要求,特发此证。

发证日期: 2017年01月10日      有效期至: 2019年10月13日

证书有效期内本证书的有效性依据发证机构的定期监督获得保持。

本证书为变更证书,证书首次颁发日期: 2014年10月13日

本证书的相关信息可通过国家认监委网站www.cnca.gov.cn查询



主任:

## 中国质量认证中心

中国·北京·南四环西路188号9区100070

<http://www.cqc.com.cn>



Q 1592636





# CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

No. : 2014011002727035

## NAME AND ADDRESS OF THE APPLICANT

MEAN WELL (Guangzhou) Electronics Co., Ltd.  
2/F, A Building, Yuean Ind. Park, Huangcun, Dongpu Town, Tianhe District,  
Guangzhou, China

## NAME AND ADDRESS OF THE MANUFACTURER

MEAN WELL (Guangzhou) Electronics Co., Ltd.  
2/F, A Building, Yuean Ind. Park, Huangcun, Dongpu Town, Tianhe District,  
Guangzhou, China

## NAME AND ADDRESS OF THE FACTORY

MEAN WELL (GUANGZHOU) ELECTRONICS CO., LTD HUADU BRANCH  
No.11 Jingu South Road, Huadong Town, Huadu District, Guangzhou, China

## NAME, MODEL AND SPECIFICATION

A.C. Supplied Electronic Controlgear For LED Modules (Independent,  
Constant Current, SELV, ta:60°C, tc:80°C, IP67, Class I, F Mark,  
Temperature Declared Thermally Protected: 110°C)  
See Appendix. Input: 100-240V~ 50/60Hz

## THE STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

GB19510.14-2009, GB19510.1-2009, GB17743-2007, GB17625.1-2012

This is to certify that the above mentioned products have met the  
requirements of implementation rules for compulsory certification(REF  
NO. CNCA-C10-01:2014).

Date of issue: Jan.10,2017      Date of expiry: Oct.13,2019

Validity of this certificate is subject to positive result of the regular  
follow up inspection by issuing certification body until the expiry date.

Date of original certification: Oct.13,2014

This certificate can be verified through CNCA's website: [www.cnca.gov.cn](http://www.cnca.gov.cn)



President:

Wang Kejiao



**CHINA QUALITY CERTIFICATION CENTRE**

Section 9, No.188, Nansihuan Xilu, Beijing 100070 P.R.China

<http://www.cqc.com.cn>

Q 1592636





# 中国国家强制性产品认证证书

附录:

第 1 页 共 1 页

证书编号: 2014011002727035

纸号: 1592636

HLG-120H-12B 输出: 12Vdc 10A,  
HLG-120H-15B 输出: 15Vdc 8.0A,  
HLG-120H-20B 输出: 20Vdc 6.0A,  
HLG-120H-24B 输出: 24Vdc 5.0A,  
HLG-120H-30B 输出: 30Vdc 4.0A,  
HLG-120H-36B 输出: 36Vdc 3.4A,  
HLG-120H-42B 输出: 42Vdc 2.9A,  
HLG-120H-48B 输出: 48Vdc 2.5A,  
HLG-100H-20B 输出: 20Vdc 4.8A,  
HLG-100H-24B 输出: 24Vdc 4.0A,  
HLG-100H-30B 输出: 30Vdc 3.2A,  
HLG-100H-36B 输出: 36Vdc 2.65A,  
HLG-100H-42B 输出: 42Vdc 2.28A,  
HLG-100H-48B 输出: 48Vdc 2.0A.

输入: 100-240V~ 50/60Hz

注: 此附录与证书同时使用时有效。



主任:

中国质量认证中心

中国·北京·南四环西路 188 号 9 区 100070

<http://www.cqc.com.cn>







# 中国国家强制性产品认证证书

证书编号: 2014011002727040

## 委托人名称、地址

明纬(广州)电子有限公司  
广州市天河区东圃镇黄村粤安工业园A栋2楼

## 生产者(制造商)名称、地址

明纬(广州)电子有限公司  
广州市天河区东圃镇黄村粤安工业园A栋2楼

## 生产企业名称、地址

明纬(广州)电子有限公司花都分公司  
广州市花都区花东镇金谷南路11号

## 产品名称和系列、规格、型号

LED模块用交流电子控制装置(LED控制装置,独立式,恒流模式,安全特低电压,ta:60℃,tc:80℃,I类,IP67,F标记,定温热保护:110℃,可调光)

HLG-120H-54B 输出: Max. 60VDC, 2.3A; HLG-100H-54B 输出: Max. 60VDC, 1.77A;  
HLG-100H-48B 输出: Max. 55VDC, 1.86A; HLG-100H-48BH 输出: Max. 55VDC, 2A。输入: 100-240V~ 50/60Hz

## 产品标准和技术要求

GB19510.14-2009, GB19510.1-2009, GB17743-2007, GB17625.1-2012

上述产品符合强制性产品认证实施规则  
CNCA-C10-01:2014的要求,特发此证。

发证日期: 2017年01月10日      有效期至: 2019年10月13日

证书有效期内本证书的有效性依据发证机构的定期监督获得保持。

本证书为变更证书,证书首次颁发日期: 2014年10月13日

本证书的相关信息可通过国家认监委网站www.cnca.gov.cn查询



主任:

## 中国质量认证中心

中国·北京·南四环西路188号9区 100070

<http://www.cqc.com.cn>



Q 1582949





# CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

No. : 2014011002727040

## NAME AND ADDRESS OF THE APPLICANT

MEAN WELL (Guangzhou) Electronics Co., Ltd.  
2/F, A Building, Yuean Ind. Park, Huangcun, Dongpu Town, Tianhe District,  
Guangzhou, China

## NAME AND ADDRESS OF THE MANUFACTURER

MEAN WELL (Guangzhou) Electronics Co., Ltd.  
2/F, A Building, Yuean Ind. Park, Huangcun, Dongpu Town, Tianhe District,  
Guangzhou, China

## NAME AND ADDRESS OF THE FACTORY

MEAN WELL (GUANGZHOU) ELECTRONICS CO., LTD HUADU BRANCH  
No.11 Jingu South Road, Huadong Town, Huadu District, Guangzhou, China

## NAME, MODEL AND SPECIFICATION

A.C. Supplied Electronic Controlgear For LED Modules (Independent,  
Constant Current Mode, SELV, ta:60°C, tc:80°C, IP67, Class I, F  
Mark, Temperature Declared Thermally Protected: 110°C, Dimmable)  
HLG-120H-54B Output: Max.60VDC, 2.3A; HLG-100H-54B Output: Max.60VDC,  
1.77A; HLG-100H-48B Output: Max.55VDC, 1.86A; HLG-100H-48BH Output:  
Max.55VDC, 2A. Input: 100-240V~ 50/60Hz

## THE STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

GB19510.14-2009, GB19510.1-2009, GB17743-2007, GB17625.1-2012

This is to certify that the above mentioned products have met the  
requirements of implementation rules for compulsory certification(REF  
NO. CNCA-C10-01:2014).

Date of issue: Jan.10,2017      Date of expiry: Oct.13,2019

Validity of this certificate is subject to positive result of the regular  
follow up inspection by issuing certification body until the expiry date.

Date of original certification: Oct.13,2014

This certificate can be verified through CNCA's website: [www.cnca.gov.cn](http://www.cnca.gov.cn)



President:

Wang Kejiao



CHINA QUALITY CERTIFICATION CENTRE

Section 9, No.188, Nansihuan Xilu, Beijing 100070 P.R.China

<http://www.cqc.com.cn>

Q 1582949